



REVIEW ARTICLE

Review on Nanotechnology Applications in Sericulture

Vasanth V¹, K. Senguttuvan² and K.A. Murugesha^{3*}

¹ Research Scholar, Department of Sericulture, Forest College and Research Institute, Tamil Nadu Agricultural University, Mettupalayam - 641301, Tamil Nadu, India

² Assistant Professor, Department of Sericulture, Forest College and Research Institute, Tamil Nadu Agricultural University, Mettupalayam - 641301, Tamil Nadu, India

³ Professor, Department of Sericulture, Forest College and Research Institute, Tamil Nadu Agricultural University, Mettupalayam - 641301, Tamil Nadu, India

ABSTRACT

Recent decades have witnessed the transformative impact of nanotechnology across various technology and industry sectors, ushering in significant improvements and, in some cases, revolutionary changes. Nanotechnology integrates progress achieved in chemistry, physics, materials science, and biotechnology to craft innovative materials with distinctive properties attributable to their structuring at the nanometer scale. Sectors such as information technology, energy, environmental science, and transportation are all benefiting from nano-technological advancements. The study investigated *Spirulina*-mediated titanium dioxide nanoparticle's effects on silkworm economic traits. Characterization revealed uniform nanoparticles with a size of 97 nm. Silkworms fed with 50 ppm concentration showed improved weight, cocoon traits, silk quality, and reduced renditta. This suggests the potential benefits of nanoparticle-treated mulberry leaves in sericulture.

Received: 21 Jan 2024

Revised: 30 Jan 2024

Accepted: 28 Feb 2024

Keywords: Nanotechnology, *Spirulina*, Titanium dioxide, Silkworm growth and Development.

INTRODUCTION

Sericulture, the cultivation of silkworms for the production of silk, has been an integral part of various cultures for centuries, weaving itself into the fabric of ancient traditions and contemporary industries. As technology continues to advance, the integration of nanotechnology into sericulture has emerged as a promising avenue, propelling this age-old practice into the realms of cutting-edge innovation. Nanotechnology, the manipulation of matter at the nanoscale, holds unprecedented potential to revolutionize the sericulture industry by enhancing silk production processes, improving textile properties, and introducing novel functionalities.

This review aims to explore and evaluate the diverse applications of nanotechnology in sericulture, examining how nanomaterials and nanotechnological approaches can address challenges and unlock new possibilities within this age-old craft. From the molecular-level interactions between nanomaterials and silkworms to the development of advanced

silk-based nanocomposites, the convergence of nanotechnology and sericulture offers a myriad of opportunities for sustainable and high-performance silk production. The integration of nanotechnology into sericulture not only promises advancements in silk quality and quantity but also opens doors to environmentally conscious and economically viable practices. Understanding the potential benefits, challenges, and ethical considerations of this emerging field is paramount as we navigate the intricate web of science, tradition, and innovation.

In this review, we delve into the current state of research, exploring the key achievements, ongoing studies, and future prospects of nanotechnology applications in sericulture. By doing so, we aim to contribute to the collective knowledge that guides the responsible and effective integration of nanotechnology into this timeless craft. This introduction provides a brief overview of sericulture and nanotechnology,

establishes the motivation for the review, and outlines the key areas that will be explored in the subsequent sections. Adjustments can be made based on the specific focus and scope of your review

Role of nanoparticles in the agricultural and Sericulture field

Nanoparticle-bound drugs provide targeted delivery and high drug loading due to their large surface area (Panyam and Labhassetwar, 2003; Han et al., 2007). Various synthesis methods, including biological processes (Singaravelu et al., 2007; Ray et al., 2011) and chemical approaches (Zhang et al., 2016), contribute to nanoparticle production. Titanium dioxide nanoparticles exhibit antibacterial properties and find applications in various fields (Chai et al., 2006). Modifying nanoparticle size and surface properties enhances drug delivery effectiveness (Sahoo et al., 2007; Chen et al., 2007). Nanotechnology impacts multiple sectors, offering applications ranging from water treatment to biotechnology (Murphy et al., 2011; Dhillon et al., 2012). Nanoparticles are classified as inorganic and organic types, with titanium dioxide nanoparticles widely used in pharmaceuticals, orthopedics, and dental fields (Ni et al., 2015; Tian et al., 2016). Biofabrication methods utilize natural sources from unicellular to multicellular organisms (Asmathunisha et al., 2012; Aritonang et al., 2019). TiO₂ nanoparticles synthesized through thermal decomposition were characterized using various techniques (Viana et al., 2010). Gunasundari et al. (2016) synthesized and characterized silver, chromium, iron, lead, and zinc nanoparticles, highlighting chromium and zinc nanoparticles' antimicrobial activity. Dharanipriya and Thangapandiyani (2019) observed improved economic traits and nutrient efficacy in mulberry leaves treated with chemically mediated Ag nanoparticles and *Spirulina*. Aravind et al. (2021) synthesized TiO₂NPs using jasmine flower extract in green synthesis and analyzed their properties.

Nanoparticle characterization

The characterization of nanoparticles is performed to learn more about the average size, size distribution and changes that occur when the particles are stored (for example, crystal growth and agglomeration). Nanoparticles and nanomaterials characteristics include their size, shape, surface area and disparity (Jiang et al., 2009). The most common methods for characterizing nanoparticles are UV-visible absorbance

Spectroscopy (UV), Particle Size Analyzer (PSA), Fourier Transform Infrared Spectroscopy (FTIR), Powder X-ray Diffraction (XRD), Scanning Electron Microscopy (SEM) and Transmission Electron Microscopy (TEM) (Mittal et al., 2013).

Ultraviolet-Visible Absorbance Spectroscopy

The green synthesis method, employing ultrasonic-assisted *Spirulina platensis* as a reducing agent, proves effective, non-toxic, and eco-friendly for producing metal nanoparticles like AgNPs, CrNPs, PbNPs, ZnNPs, and FeNPs. Confirmation of nanoparticle formation was achieved using UV-visible spectroscopy (Gunasundari et al., 2016). Subhapriya et al. (2018) utilized an aqueous leaf extract of *Trigonella foenumgraecum* to biosynthesize TiO₂ NPs, characterized and exhibited significant antimicrobial activity against various microorganisms. Vasanth et al. (2023) confirmed the formation of nanoparticles using UV-Vis absorbance spectroscopy, with confirmation observed at a wavelength of 300 nm.

Particle Size Analyzer

Photocatalytic degradation of methyl orange dye using silver (Ag) nanoparticles synthesized from *Ulva lactuca* showed a negative zeta potential value of -34 mV suggesting that the nanoparticles are highly stable in colloidal solution (Kumar et al., 2013). The green synthesized *Azadirachta indica* mediated with TiO₂NPs showed the zeta potential at the rate of -24 mV and particle size distribution was 124 nm (Sankar et al., 2015). Vasanth et al. (2023) conducted an analysis using a particle size analyzer, revealing a uniform distribution of particles with a narrow size distribution, measured at 97 nm. Additionally, the zeta potential was determined to be -20.08 mV.

Fourier Transform Infrared (FTIR) Spectroscopy analysis

Infrared radiation (IR) is heat radiation, and its frequency ranges from 10¹⁴ to 10¹¹ Hz on the electromagnetic spectrum. The energy differences between various molecular vibrational modes are equivalent to the energy differences of infrared radiation. The vibrational absorption spectra are clearly made up of bands rather than lines.

The IR spectral bands are narrower in the solid state and at low temperatures. The spectrum of infrared light is plotted as a function of wave number, which is the reciprocal of wavelength.

Wave number = $1/\lambda$ cm⁻¹

The FT-IR method measures the vibrations of bonds within chemical functional groups and produces a spectrum that can be interpreted as the sample's biochemical or metabolic "fingerprint." It may be possible to detect minor changes in primary and secondary metabolites by obtaining IR spectra from plant samples (McCann *et al.*, 1992). Meenakshi *et al.* (2012) reported the FT-IR spectrum of *S. wightii* and *U. lactuca* samples, with the wave number of peaks lying between 449.32 cm⁻¹ and 3495.89 cm⁻¹ and 462.89 cm⁻¹ and 3407.05 cm⁻¹, respectively. Devi and Gayathri (2014) demonstrated FTIR analysis of TiO₂NPs to determine their functional groups. The results indicated the spectrum of titanium dioxide nanoparticles in which the peaks at 3400 and 1631.78 cm⁻¹ spectra were due to stretching and bending vibrations of the -OH groups. The peaks such as 435.91 cm⁻¹, 466.77 cm⁻¹ to 700 cm⁻¹ showed the bending and stretching mode of titanium dioxide. Kannan (2014) determined the frequency of functional groups in brown algae (*S. wightii*) and red algae (*Gracilaria corticata*) using the FT-IR technique. N-H/O-H, C-H, and C-O stretching vibrations in various amines, hydroxyl groups, and carboxylic groups are represented by the bands at 3371 cm⁻¹, 2924 cm⁻¹, and 2358 cm⁻¹, respectively. Krishnasamy *et al.* (2015) used FTIR spectroscopy to determine the substances responsible for the formation and stabilisation of titanium nanoparticles using *Azadirachta indica*. The FTIR spectrum of the materials produced by biosynthesis peaks in the concentration of titanium nanoparticles was found at 3421.63, 1640.53, 1083.76, and 775.38. 3421.63, and 1637.73 can refer to either the C=C groups of aromatic rings or the C=O stretching of amide. O-H stretching of phenolic compounds and alcohols were indicated at 3421.63, and these values are both possible for amide. The absorption band at 1083.76 indicates that alcohols and carboxylic acids have C-O vibrations. Thakur *et al.* (2019) utilized *A. indica* leaf extract for the synthesis of titanium dioxide nanoparticles, followed by analysis using FTIR. The results showed peaks at 3581.96, 1166.92, 1091.86, and 709.62 in the FTIR spectrum of the titanium dioxide nanoparticles. Aromatic ring C=C groups are responsible for the peak at 1166.92, while the peak at 3581.96 is caused by alcohols and phenolic compounds stretching their O-H bonds. Peak

709.62 represents the stretching vibration of titanium dioxide nanoparticles (Ti-O-Ti), whereas Peak 1091.86 represents the vibration of carboxylic acid (C=O).

Powder X-ray diffraction (XRD) analysis

X-ray diffraction (XRD) analysis is a crucial technique for characterizing the crystal structure of nanomaterials (Sun *et al.*, 2000). Bragg's law, $\sin\theta = n\lambda/2d$, is employed to determine the spacing between diffractive lattice planes (Porter *et al.*, 2008). XRD provides rapid identification of crystalline phases and unit cell dimensions (Pattabhi and Gautham, 2009). Shamel *et al.* (2010) utilized XRD to confirm the formation of Ag-NPs on talc surfaces without disrupting the mineral clay's lamellar structure. Mashael (2013) observed similar 2θ and d-spacing values in both Talc and Talc/polypropylene (TPP), indicating talc's preserved crystal structure in the nanocomposite. Rajeshkumar (2019) synthesized titanium dioxide nanoparticles from *Cassia fistula* leaves and analyzed their crystalline nature and particle size using XRD. The XRD patterns revealed different Bragg's reflections corresponding to various lattice planes, indicating the face-centered cubic (FCC) crystalline nature of the TiO₂ nanoparticles (Vijayakumar *et al.*, 2017).

Scanning Electron Microscopy (SEM) analysis

Electron microscopy, as highlighted by Cao (2004), is a prominent method for nanoparticle characterization, offering insight into materials ranging from nanometer to millimeter scales. Various microscopy techniques such as optical light microscopes, scanning electron microscopes (SEM), transmission electron microscopes (TEM), and atomic force microscopes (AFM) facilitate detailed analysis (AFM).

SEM is particularly valuable for high-resolution surface imaging, utilizing electrons scattered from the sample and accelerating them with a shorter wavelength electric potential than photons. This technique can magnify images up to 20,000 times, enabling precise size distribution determination of nanoparticles (Schaffer *et al.*, 2009). Kalantari *et al.* (2013) utilized high-magnification SEM to analyze the external surface of talc/Fe₃O₄ nanocomposites, revealing the presence of small Fe₃O₄ nanoparticles that aggregate and form larger particles, altering surface shininess. Santhoshkumar *et al.* (2014) employed FESEM to study the *Psidium guajava* extract-based

green synthesis of titanium dioxide nanoparticles, observing smooth, spherical nanoparticles. FESEM images provided valuable insights into physical morphology, particle size, and aspect ratio at various magnifications, aiding in comprehensive nanoparticle characterization.

Transmission Electron Microscopy (TEM) analysis

Transmission electron microscopy (TEM) boasts a 10,000-fold higher resolution compared to scanning electron microscopy (SEM) (Eppler *et al.*, 2000). Kalantari *et al.* (2013) utilized TEM to analyze talc/ Fe_3O_4 nanocomposites, revealing nanoparticles with diameters ranging from 1.2 to 3.2 nm. Similarly, Shameli *et al.* (2010) reported mean diameters and standard deviations of talc and Ag-NCs ranging from approximately 7.60 ± 2.62 nm to 13.11 ± 4.58 nm. TEM analysis of neem leaf-mediated titanium dioxide NPs by Krishnasamy *et al.* (2015) showed spherical nanoparticles with smooth surfaces, ranging in size from 15 to 45 nm.

Silkworm growth and development in Nano-formulation

The utilization of nanoparticles, particularly silver (Ag) and titanium dioxide (TiO_2), has demonstrated significant effects on silkworm (*Bombyx mori*) growth, development, and cocoon quality. Govindaraju *et al.* (2011) found that Ag nanoparticles synthesized with *Spirulina platensis* showed strong antiviral activity, enhancing total haemocyte count and differential haemocyte count in silkworms. Similarly, TiO_2 nanoparticles have been associated with increased ecdysone synthesis, affecting growth and antiviral capabilities (Jiang *et al.*, 2014), as well as improving feeding efficiency and silk protein synthesis (Ni *et al.*, 2015). *Spirulina* supplementation in silkworm rearing has also shown growth stimulant activity, enhancing larval, cocoon, and pupal weights, as well as shell ratio (Kumar and Balasubramanian, 2014). Studies by Ni *et al.* (2014) and Zhang *et al.* (2014) highlighted the positive effects of TiO_2 nanoparticles on silkworm development, including faster ovary and testis development, increased gamete differentiation, improved food conversion efficiency, and enhanced cocoon quality and silk filament yield. Furthermore, Cai *et al.* (2015) demonstrated that TiO_2 nanoparticles could improve the mechanical properties of silk, particularly its breaking strength and elongation, as well as its ultraviolet resistance. Li *et al.* (2016)

observed that low concentrations of TiO_2 nanoparticles improved feed efficiency and cocoon characteristics, although higher concentrations exhibited inhibitory effects on silkworm growth. Pandiarajan *et al.* (2016) found that exposure to low doses of Ag nanoparticles enhanced larval growth and cocoon weight. Tian *et al.* (2016) investigated the effects of TiO_2 nanoparticles on silkworm nutrient metabolism, revealing activation of the insulin signalling pathway and enhanced carbohydrate, protein, and fat metabolism. Yang *et al.* (2017) studied the effects of various nanoparticles on silk production, observing increased copper content in silk and significant changes in silk morphology and structure. Alipanah *et al.* (2021) reported increased cocoon weight and feeding efficiency in TiO_2 nanoparticle-fed silkworms. Soliman *et al.* (2021) investigated the enrichment of mulberry leaves with *Spirulina* extracts, noting improvements in various biological parameters of silkworms. These studies collectively underscore the potential of nanoparticles, particularly Ag and TiO_2 , in enhancing silkworm growth, cocoon quality, and silk production efficiency.

In the study by Vasanth *et al.* (2023), larvae fed mulberry leaves treated with *S. platensis* mediated TiO_2 NPs at a concentration of 50 ppm exhibited notable effects on various parameters compared to the control group. Specifically:

- Larval weight increased to 4.34 g.
- Larval duration extended to 203 hours.
- Efficiency of the rearing process (ERR) improved to 92.22%.
- Larval mortality decreased to 8.89%.

Furthermore, significant enhancements were observed in silk gland parameters, including silk gland weight and silk productivity, among larvae fed with leaves treated with *S. platensis*-mediated TiO_2 NPs at a concentration of 50 ppm. These findings suggest the potential beneficial effects of *S. platensis*-mediated TiO_2 NPs on silkworm rearing and silk production.

Gut microbial diversity in silkworm

Silkworm gut microbes play a pivotal role in various aspects of the host's biology, including interaction with environmental factors, diet, developmental stages, and phylogeny. Studies have identified diverse bacterial species inhabiting the gut of silkworms, shedding light



on their diversity and potential functions. Kalpana *et al.* (1995) identified *Micrococcus* sp. *Staphylococcus* and sp. in the gut of silkworm crossbreeds, while Neelu Nangia *et al.* (1999) found higher bacterial loads in bivoltine breeds compared to others. Roy *et al.* (2000) reported the presence of bacteria in the gut of mulberry silkworms. Chowdary *et al.* (2002) investigated the bacterial flora in the midguts of Pure Mysore and NB₄D₂ silkworms, revealing substantial populations and enzymatic activities. Tandon and Mishra (2003) isolated various bacterial species from the gut of indigenous silkworm breeds, including *Enterobacter*, *E. coli*, and *Bacillus* sp. Mohanraj *et al.* (2009) identified common gut bacterial flora, including *B. subtilis*, *S. aureus*, and *Pseudomonas* sp., across different silkworm breeds. Sekar *et al.* (2010) assessed bacterial colonization in mulberry leaves and silkworm intestines, observing the dominance of *Bacillus cereus* and other species like *Enterobacter*, *Lactococcus lactis*, and *Staphylococcus lactis*. Notably, the foregut harbored a greater bacterial population, likely originating from mulberry phyllosphere microbes. These studies collectively underscore the complex relationship between silkworms and their gut microbiota, impacting various aspects of silkworm biology and potentially offering avenues for enhancing sericulture practices.

Changes in gut microflora due to fortification

Khyade and Doshi (2012) demonstrated that herbal drug-treated mulberry leaves significantly improved protein levels and the velocities of biochemical reactions in silkworms across instars 3 to 5, enhancing midgut protease and amylase activities. Additionally, Ni *et al.* (2015) found that exposure to TiO₂NPs affected the biological functions of *B. mori*, influencing digestion, absorption, growth, and immune function. Gunasundari *et al.* (2016) synthesized various metallic nanoparticles via green synthesis, with chromium and zinc nanoparticles exhibiting notable antimicrobial activity against common pathogens. Li *et al.* (2016) observed that TiO₂NPs increased dominant bacterial strains and gene expression related to digestion and detoxification in silkworm intestines, enhancing growth and immunity. Similarly, Xie *et al.* (2014) noted TiO₂NPs' role in enhancing resistance against pathogenic bacteria and promoting detoxification processes. Ahmad *et al.* (2020) utilized green-synthesized TiO₂ NPs using *Mentha arvensis* leaf extract, demonstrating potent antibacterial and antifungal activity against

various microorganisms, including *Staphylococcus aureus*, *Klebsiella pneumoniae*, and *E. coli*. Their study suggests the potential of green-synthesized TiO₂NPs for environmental and biomedical applications, exhibiting superior antibacterial properties compared to chemically synthesized counterparts (Aravind *et al.*, 2021).

CONCLUSION

Nanotechnology holds the potential to revolutionize the realms of Sericulture and agriculture, as highlighted in this paper's review. The replication of natural systems emerges as a particularly promising avenue within this technology, yet scientists face the formidable task of comprehending the intricate complexities inherent in these systems. The field of nanotechnology and nanomaterials is experiencing rapid growth in research, presenting opportunities to leverage novel properties of materials at the nano-scale for industrial benefits. Numerous developments are on the horizon, capable of significantly altering the service life and life-cycle cost of construction infrastructure. In essence, this burgeoning area of study has the power to shape a new world in the future.

REFERENCES

- Ahmad, W., Jaiswal, K. K., & Soni, S. (2020). Green synthesis of titanium dioxide (TiO₂) nanoparticles by using *Mentha arvensis* leaves extract and its antimicrobial properties. *Inorganic and Nano-Metal Chemistry*, **50**(10), 1032-1038.
- Alipanah, M., Feizi, H., Nasiri, A., & Sarjamei, F. (2021). Effects of Dioxide Titanium nanoparticles (TiO₂) on growth and production characteristics of silkworms.
- Aravind, M., Amalanathan, M., & Mary, M. (2021). Synthesis of TiO₂ nanoparticles by chemical and green synthesis methods and their multifaceted properties. *SN Applied Sciences*, **3**(4), 1-10.
- Aritonang, H. F., Koleangan, H., & Wuntu, A. D. (2019). Synthesis of silver nanoparticles using aqueous extract of medicinal plants' (*Impatiens balsamina* and *Lantana camara*) fresh leaves and analysis of antimicrobial activity. *International journal of microbiology*, 2019
- Asmathunisha, N., & Kathiresan, K. (2013). A review on biosynthesis of nanoparticles by marine organisms. *Colloids and Surfaces B: Biointerfaces*, **103**, 283-287.

- Kumar, K, and U Balasubramanian. 2014. "Studies on the nutritional supplementation of *Spirulina* treated mr2 mulberry leaves fed by v instar larvae of silkworm, *Bombyx mori* (L.) in relation to feed efficacy and growth rate."
- Cai, L., Shao, H., Hu, X., & Zhang, Y. (2015). Reinforced and ultraviolet resistant silks from silkworms fed with titanium dioxide nanoparticles. *ACS Sustainable Chemistry & Engineering*, **3**(10), 2551-2557.
- Chen, Y.-L., & Li, Q.-Z. (2007). Prediction of apoptosis protein subcellular location using improved hybrid approach and pseudo-amino acid composition. *Journal of theoretical biology*, **248**(2), 377-381.
- Choi, D., Blomgren, G. E., & Kumta, P. N. (2006). Fast and reversible surface redox reaction in nanocrystalline vanadium nitride supercapacitors. *Advanced Materials*, **18**(9), 1178-1182.
- Chowdary, N., Kumaer, V., & Kumar, V. (2002). Midgut Microflora of Pure Mysore (Multivoltine) and N \$ B_4D_2 \$(Bivoltine) Silkworm (*Bombyx mori* L.) Races During Late Larval Instars. *International Journal of Industrial Entomology*, **4**(2), 127-131.
- Devi, R. S., & Gayathri, R. (2014). Green synthesis of zinc oxide nanoparticles by using Hibiscus rosa-sinensis. *Int. J. Curr. Eng. Technol*, **4**(4), 2444-2446.
- Dharanipriya, R., & Thangapandiya. (2019). Comparative study of nutritional and economical parameters of silkworm (*Bombyx mori*) treated with silver nanoparticles and *Spirulina*. *The Journal of Basic and Applied Zoology*, **80**(1), 1-12.
- Dhillon, G. S., Brar, S. K., Kaur, S., & Verma, M. (2012). Green approach for nanoparticle biosynthesis by fungi: current trends and applications. *Critical reviews in biotechnology*, **32**(1), 49-73.
- Govindaraju, K., Tamilselvan, S., Kiruthiga, V., & Singaravelu, G. (2011). Silvernanotherapy on the viral borne disease of silkworm *Bombyx mori* L. *Journal of Nanoparticle Research*, **13**(12), 6377-6388.
- Gunasundari, E., Senthil Kumar, P., Christopher, F. C., Arumugam, T., & Saravanan, A. (2017). Green synthesis of metal nanoparticles loaded ultrasonic-assisted *Spirulina platensis* using algal extract and their antimicrobial activity. *IET Nanobiotechnology*, **11**(6), 754-758.
- Han, Z., Yang, B., Kim, S., & Zachariah, M. (2007). Application of hybrid sphere/carbon nanotube particles in nanofluids. *Nanotechnology*, **18**(10), 105701.
- Iyengar, M., Jolly, M., Datta, R., & Subramanian, R. (1983). Relative silk productivity of different silkworm breeds and its use breeding index. *Natl. Semi. Silk Res. & Dev., CSB, Bangalore*, 10-13.
- Jiang, L., & Xia, Q. (2014). The progress and future of enhancing antiviral capacity by transgenic technology in the silkworm *Bombyx mori*. *Insect biochemistry and molecular biology*, **48**, 1-7.
- Joseph, I, D Edwin Chellaiah, and AJA Ranjit Singh. 2010. "Studies on the influence of Beauveria bassiana on survival and gut flora of groundnut caterpillar, Spodoptera litura Fab." *Journal of Biopesticides* **3** (3):553.
- Kalantari, K., Ahmad, M. B., Shamel, K., & Khandanlou, R. (2013). Synthesis of talc/Fe₃O₄ magnetic nanocomposites using chemical co-precipitation method. *International journal of nanomedicine*, **8**, 1817.
- Kalpana, S., A.A.M. Hatha and L.P. Swamy. (1995). Gut microflora of the larva of silkworm, *Bombyx mori*. *Insect science and its application*, **15**, 4-5.
- Kaminski, M. A., Sobczak, A., Dziembowski, A., & Lipinski, L. (2019). Genomic analysis of γ -hexachlorocyclohexane-degrading *Sphingopyxis lindanitolerans* WS5A3p strain in the context of the pangenome of *Sphingopyxis*. *Genes*, **10**(9), 688.
- Kannan, S. (2014). FT-IR and EDS analysis of the seaweeds *Sargassum wightii* (brown algae) and *Gracilaria corticata* (red algae). *International Journal of Current Microbiology and Applied Sciences*, **3**(4), 341-351.
- Khyade, V. B., & Doshi, S. S. (2012). Protein Contents and activity of enzymes in the mid guthomogenate of fifth instar larvae of silk worm, *Bombyx mori* (L) (Race: PM x CSR2) fed with herbal drug (Kho Go) treated mulberry leaves. *Research Journal of Recent Sciences*, **1**(2), 49-55.
- Krishnasamy, Sharanya Laxme. 2015. "Individual and Combinatorial Antibacterial Properties of *Plectranthus amboibicus*, *Murraya koenigii*, *Acorus calamus* and *Azadirachta indica* Against Acne Causing Bacteria *Staphylococcus aureus*,

- Propionibacterium acnes and Staphylococcus epidermidis." INTI International University.
- Kumar, P., Govindaraju, M., Senthamilselvi, S., & Premkumar, K. (2013). Photocatalytic degradation of methyl orange dye using silver (Ag) nanoparticles synthesized from *Ulva lactuca*. *Colloids and Surfaces B: Biointerfaces*, **103**, 658-661.
- Lechevalier, M. P., De Bievre, C., & Lechevalier, H. (1977). Chemotaxonomy of aerobic actinomycetes: phospholipid composition. *Biochemical Systematics and Ecology*, **5**(4), 249-260.
- Lengke, M. F., Fleet, M. E., & Southam, G. (2006). Morphology of gold nanoparticles synthesized by filamentous cyanobacteria from gold (I)-thiosulfate and gold (III)-chloride complexes. *Langmuir*, **22**(6), 2780-2787.
- Li, M., Li, F., Lu, Z., Fang, Y., Qu, J., Mao, T., . . . Li, B. (2020). Effects of TiO₂ nanoparticles on intestinal microbial composition of silkworm, *Bombyx mori*. *Science of the Total Environment*, **704**, 135273.
- Li, Y., Ni, M., Li, F., Zhang, H., Xu, K., Zhao, X., . . . Shen, W. (2016). Effects of TiO₂ NPs on silkworm growth and feed efficiency. *Biological trace element research*, **169**(2), 382-386.
- McCann, M. C., Hammouri, M., Wilson, R., Belton, P., & Roberts, K. (1992). Fourier transform infrared microspectroscopy is a new way to look at plant cell walls. *Plant Physiology*, **100**(4), 1940-1947.
- Meenakshi, S., Umayaparvathi, S., Arumugam, M., & Balasubramanian, T. (2011). In vitro antioxidant properties and FTIR analysis of two seaweeds of Gulf of Mannar. *Asian Pacific Journal of Tropical Biomedicine*, **1**(1), S66-S70.
- Miankushki, H. N., Sedghi, A., & Baghshahi, S. (2018). Facile and scalable fabrication of graphene/polypyrrole/MnOx/Cu (OH) 2 composite for high-performance supercapacitors. *Journal of Solid State Electrochemistry*, **22**(11), 3317-3329.
- Mittal, A. K., Chisti, Y., & Banerjee, U. C. (2013). Synthesis of metallic nanoparticles using plant extracts. *Biotechnology advances*, **31**(2), 346-356.
- Mohanraj, P., Subramanian, S., & Muthuswami, M. Survey of gut microflora of select indian multivoltine and bivoltine breeds of silkworm *Bombyx mori* L. *Revue des Vers a Soie Journal of Silkworms*, **201**.
- MubarakAli, D., Arunkumar, J., Nag, K. H., SheikSyedIshack, K., Baldev, E., Pandiaraj, D., & Thajuddin, N. (2013). Gold nanoparticles from Pro and eukaryotic photosynthetic microorganisms—Comparative studies on synthesis and its application on biolabelling. *Colloids and Surfaces B: Biointerfaces*, **103**, 166-173.
- Murphy, P., Munshi, D., Kurian, P., Lakhtakia, A., Bartlett, R., David, L., . . . Gary, P. (2011). *Comprehensive Nanoscience and Technology. Volume, 5*, 443-476.
- Nangia, N., Kumar, A., & Nageshchandra, B. (1992). *Gut microflora of healthy mulberry silkworm*. Paper presented at the Proc. National Seminar on Tropical Sericulture.
- Ni, M., Li, F., Tian, J., Hu, J., Zhang, H., Xu, K., . . . Li, B. (2015). Effects of titanium dioxide nanoparticles on the synthesis of fibroin in silkworm (*Bombyx mori*). *Biological trace element research*, **166**(2), 225-235.
- Pandiarajan, J., Balaji, S., Mahendran, S., Ponmanickam, P., & Krishnan, M. (2016). Synthesis and toxicity of silver nanoparticles *Nanoscience in Food and Agriculture 3* (pp. 73-98):Springer.
- Panyam, J., & Labhasetwar, V. (2003). Biodegradable nanoparticles for drug and gene delivery to cells and tissue. *Advanced drug delivery reviews*, **55**(3), 329-347.
- Pattabhi, V. a. N. G. (2009). *Biophysics. Narosa Publishing House, New Delhi*, 120.
- Rani, G. A., Padmalatha, C., Raj, R. S., & Singh, A. R. (2011). Impact of supplementation of amway protein on the economic characters and energy budget of silkworm *Bombyx mori* L. *Asian Journal of Animal Sciences*, **5**(3), 190-195.
- Ray, Sarmistha, Swadesh Sarkar, and Surekha Kundu. 2011. "Extracellular biosynthesis of silver nanoparticles using the mycorrhizal mushroom *Tricholoma crassum* (Berk.) Sacc: its antimicrobial activity against pathogenic bacteria and fungus, including multidrug resistant plant and human bacteria." *Dig J Nanomater Biostruct* **6** (3):1289-1299.
- Robert, P. H. a. M. M. (2002). Colonization of the guts of germ-free desert Locusts, *Schistocerca gregaria*, by the bacterium *Pantoea agglomerans*. *J. Invertebr. Pathol.*, **67**, 11-14.



- Sahoo, S., Parveen, S., & Panda, J. (2007). The present and future of nanotechnology in human health care. *Nanomedicine: Nanotechnology, biology and medicine*, **3**(1), 20-31.
- Sankar, R., Rizwana, K., Shivashangari, K. S., & Ravikumar, V. (2015). Ultra-rapid photocatalytic activity of *Azadirachta indica* engineered colloidal titanium dioxide nanoparticles. *Applied Nanoscience*, **5**(6), 731-736.
- Santhoshkumar, T., Rahuman, A. A., Jayaseelan, C., Rajakumar, G., Marimuthu, S., Kirthi, A. V., . . . Kim, S.-K. (2014). Green synthesis of titanium dioxide nanoparticles using *Psidium guajava* extract and its antibacterial and antioxidant properties. *Asian Pacific journal of tropical medicine*, **7**(12), 968-976.
- Saxena, V., Chandra, P., & Pandey, L. M. (2018). Design and characterization of novel Al- doped ZnO nanoassembly as an effective nanoantibiotic. *Applied Nanoscience*, **8**(8), 1925-1941.
- Schaad, N. W., Cheong, S., Tamaki, S., Hatziloukas, E., & Panopoulos, N. J. (1995). A combined biological and enzymatic amplification (BIO-PCR) technique to detect *Pseudomonas syringae* pv. *phaseolicola* in bean seed extracts. *Phytopathology*, **85**(2), 243-246.
- Schaffer, B., Hohenester, U., Trügler, A., & Hofer, F. (2009). High-resolution surface plasmon imaging of gold nanoparticles by energy-filtered transmission electron microscopy. *Physical Review B*, **79**(4), 041401.
- Scheffer, R. P., Olsen, K. D., & Gaffey, T. A. (1985). Cervical lymphangioma in the adult. *Otolaryngology—Head and Neck Surgery*, **93**(1), 65-69.
- Sekar, P., A. Balasundaram and George John. (2010). A study on the establishment of bacterial microbiota in the gut of silkworm *Bombyx mori*. *International journal of current research*, **11**, 192-199.
- Shameli, K., Ahmad, M. B., Yunus, W. Z. W., Ibrahim, N. A., & Darroudi, M. (2010). Synthesis and characterization of silver/talc nanocomposites using the wet chemical reduction method. *International journal of nanomedicine*, **5**, 743.
- Singaravelu, G., Arockiamary, J., Kumar, V. G., & Govindaraju, K. (2007). A novel extracellular synthesis of monodisperse gold nanoparticles using marine alga, *Sargassum wightii* Gréville. *Colloids and Surfaces B: Biointerfaces*, **57**(1), 97-101.
- Soliman, A. M. (2021). The Impact of Fortification of Mulberry Leaves with the Yeast *Saccharomyces cerevisiae* and the Blue Green Algae *Spirulina platensis* on some Quantitative Parameters of Silkworm *Bombyx mori* (L.). *Journal of Plant Protection and Pathology*, **12**(1), 55-59.
- Some, S., Bulut, O., Biswas, K., Kumar, A., Roy, A., Sen, I. K., . . . Neog, K. (2019). Effect of feed supplementation with biosynthesized silver nanoparticles using leaf extract of *Morus indica* L. V1 on *Bombyx mori* L. (Lepidoptera: Bombycidae). *Scientific reports*, **9**(1), 1-13.
- Subhapiya, S., & Gomathipriya, P. (2018). Green synthesis of titanium dioxide (TiO₂) nanoparticles by *Trigonella foenum-graecum* extract and its antimicrobial properties. *Microbial pathogenesis*, **116**, 215-220.
- Tandon, Y. a. R. M. (2003). The action of certain antibiotics on bees. *Vet. Arh, Serbo-croatian (Germany Summary)*, **27**, 71-80.
- Thakur, B., Kumar, A., & Kumar, D. (2019). Green synthesis of titanium dioxide nanoparticles using *Azadirachta indica* leaf extract and evaluation of their antibacterial activity. *South African Journal of Botany*, **124**, 223-227.
- Tian, H., Ji, X., Yang, X., Zhang, Z., Lu, Z., Yang, K., . . . Mu, Z. (2016). Structural basis of Zika virus helicase in recognizing its substrates. *Protein & cell*, **7**(8), 562-570.
- Vasanth, V., Muruges, K. A., Tilak, M., Aruna, R., Raj, P. M., & Arasakumar, E. (2023). Green Synthesis of *Spirulina* Mediated Titanium Dioxide Nanoparticles and Their Characterization. *Journal of Survey in Fisheries Sciences*, **10**(3), 21-27.
- Vasanth V, Ramamoorthy R, Arasakumar E, Ranjith Kumar S, Nilav Ranjan Bora, Gajjala Nitish, Nandha Kumar R and Moulidharshan R. Evaluation of *Spirulina* mediated TiO₂NPs on silkworm economic traits. *Int. J. Biol. Sci.* 2023;5(2):34-46. DOI: [10.33545/26649926.2023.v5.i2a.169](https://doi.org/10.33545/26649926.2023.v5.i2a.169)
- Vijayakumar, S., Malaikozhundan, B., Shanthi, S., Vaseeharan, B., & Thajuddin, N. (2017). Control of biofilm forming clinically important bacteria by green synthesized ZnO nanoparticles and its ecotoxicity on *Ceriodaphnia cornuta*. *Microbial pathogenesis*, **107**, 88-97.

- Xie, Y., Wang, B., Li, F., Ma, L., Ni, M., Shen, W., . . . Li, B. (2014). Molecular mechanisms of reduced nerve toxicity by titanium dioxide nanoparticles in the phoxim-exposed brain of *Bombyx mori*. *PLoS one*, **9**(6), e101062.
- Yedurkar, S., Maurya, C., & Mahanwar, P. (2016). Biosynthesis of zinc oxide nanoparticles using ixora coccinea leaf extract—a green approach. *Open Journal of Synthesis Theory and Applications*, **5**(1), 1-14.
- Zhang, H., Ni, M., Li, F., Xu, K., Wang, B., Hong, F., . . . Li, B. (2014). Effects of feeding silkworm with nanoparticulate anatase TiO₂ (TiO₂ NPs) on its feed efficiency. *Biological trace element research*, **159**(1), 224-232.
- Zhang, S., Tang, Y., & Vlahovic, B. (2016). A review on preparation and applications of silver-containing nanofibers. *Nanoscale research letters*, **11**(1), 1-8.